

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	(US-7362061-\$ or US-6437611-\$ or US-6236239-\$ or US-5214320-\$ or US-5081380-\$ or US-4797579-\$ or US-6885225-\$ or US-6084378-\$ or US-5994885-\$). did.	USPAT	OR	ON	2008/06/04 12:23
L2	4	1 and (pwm modulat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/06/04 12:23
L3	9	1 and (reduc\$4 decreas\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/06/04 12:30
L4	4	1 and (reduc\$4 decreas\$4) and (pwm modulat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/06/04 12:31
L5	2	1 and (reduc\$4 decreas\$4) and (pwm modulat\$4) and (position angle angular)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/06/04 12:53
S1	268	318/811 and ((limit\$4 reduc\$4 decreas\$4) near4 voltage) and (gate near4 (transistor igbt mosfet fet))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/31 22:20
S2	265	318/811 and ((limit\$4 reduc\$4 decreas\$4) near4 voltage) and (gate near4 (transistor mosfet fet))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/31 22:21

S3	136	318/811 and ((limit\$4 reduc\$4 decreas\$4) near4 voltage) and (gate near4 (transistor igbt mosfet fet)) and (driv\$4 near4 (mosfet fet transistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/31 22:22
S4	74	318/811 and ((limit\$4 reduc\$4 decreas\$4) near4 voltage) and (gate near4 (transistor igbt mosfet fet)) and (driv\$4 near4 (mosfet fet transistor)) and (gate near4 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/31 22:22
S5	54	318/811 and ((limit\$4 reduc\$4 decreas\$4) near4 voltage) and (gate near4 (transistor igbt mosfet fet)) and (driv\$4 near4 (mosfet fet transistor)) and (gate near4 control\$4) and invert\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/31 22:24
S6	14	("4797579"   "5081380"   "5214320"   "5514981"   "5557223"   "6008686"   "6043698"   "6236239"   "6359797"   "6437611"   "6469585"   "6476654"   "6507226"   "6714049").PN. OR ("7362061").	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/31 22:25

S7	68	URPN. 318/811 and ((limit\$4 reduc\$4 decreas\$4) near4 voltage) and (gate near4 (transistor igbt mosfet fet)) and (driv\$4 near4 (mosfet fet transistor)) and (gate near4 (driv \$4 control\$4)) and invert\$4 and (pwm modulat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/31 22:29
----	----	--	--	----	----	---------------------

6/ 4/ 2008 2:10:16 PM

C:\Documents and Settings\rmcccloud\My Documents\EAST\Workspaces\10599845.  
wsp